

HAWAII INSTITUTE OF GEOPHYSICS
UNIVERSITY OF HAWAII
HONOLULU, HAWAII

14 April 1966

National Aeronautics and Space
Administration
Office of Research Grants and Contracts
1520 H Street, Northwest
Washington 25, D. C.

Attention: Code BG

Subject: Semiannual Status Report on NASA
Research Grant NsG-135-61

Gentlemen:

This letter constitutes the ninth semiannual status report of the Airglow research under NASA Grant NsG-135-61. The report covers the period 1 October 1965 to 31 March 1966.

Observations:

The observing program at Haleakala has continued as set forth in previous reports. Some difficulties were encountered with interference from the signals of nearby television transmitters. The difficulty was found to be in a defective connection in the signal lead from the multiplier phototube. The strong rf fields in the vicinity of the airglow station require constant vigilance in the maintenance of the equipment.

During February and March we assisted Dr. F. E. Roach of ESSA, Boulder, in testing out a new photometer his group had designed and constructed. This photometer, which they designate as an ST photometer, makes use of narrow band (15A) interference filters with the expectation of removing the background continuum radiation from the observations by analytical methods based on the known distribution of diffuse starlight and zodiacal light. The instrument produced beautiful records, and of special interest to us is the fact that the records agreed very well with ours obtained on the birefringent scanning photometer. It is always reassuring to see two parallel instruments obtain similar results.

FACILITY FORM 802	N66-83716	
	(ACCESSION NUMBER)	(THRU)
	12	<i>None</i>
	(PAGES)	(CODE)
	CR 74637	
	(NASA CR OR TRX OR AD NUMBER)	(CATEGORY)

One of the nights on which both instruments were operating turned out to be one of those rare nights on which there has been observed 6300A enhancements together with a great deal of structure, and at the same time similar variations in both space and time in 5577A. It was one of those rare events that to my mind justifies the operation of a routine observing program. It is this sort of event that is the subject of a continuing study by myself along with Roach, Van Zandt, Peterson, and King (mentioned in previous reports)..

The detailed structure on this night as observed by the ST instrument and on our own agreed very well. The effect of a longer time constant in our instrument did show up and indicates the need for maintaining as short a time constant as possible.

Current Studies:

The ST instrument mentioned above was brought here by L. L. Smith of Dr. Roach's group. During the two-month period that the instrument was being tested, Smith and I put a concerted effort into a joint study on the comparative variations of the airglow emissions at three stations distributed in latitude from about 20° to 40°N: Haleakala, Kitt Peak, and Fritz Peak. We are ascertaining and comparing the daily, seasonal, and solar cycle variations at these stations as well as comparisons with other geophysical parameters such as magnetic and solar activity.

Good progress was made during Smith's stay and the material is being organized into a publication.

Travel:

From November 8 to 13, 1965, I visited in Boulder for the purpose of conferring with Drs. Roach, Gadsden, and Peterson and others, and also to perform the calibration of our standard light and filters.

Future Plans:

From August 14 to 26 I have been requested to participate in the Advanced Study Institute on Aurora and Airglow and present a lecture on Low Latitude Observations. This Institute is to be held at the University of Keele, England.

Beginning on September 1, 1966, for one year, I will be on sabbatical leave from the University of Hawaii. A Fulbright-Hays grant has been awarded me to carry on research in airglow at the Tokyo Astronomical Observatory, Tokyo, Japan, working there with Dr. Masaaki Huruata.

During my absence it is very important that there be someone here to supervise this program. I am presently negotiating with Dr. P. V. Kulkarni who was formerly associated with this program to return to undertake this supervision from September to December, 1966. In January Dr. Roach is coming to Hawaii for the second academic semester and will be able to provide the necessary supervision of this program during the remainder of my absence.

Also during this period the present grant expires (March 31, 1967). I am now beginning to prepare a proposal to NASA for the continuation and expansion of this program.

Staff:

No changes

Publications:

1. T. E. Van Zandt, W. R. Steiger, F. E. Roach, V. L. Peterson, and R. B. Norton, "Studies of the Tropical Airglow Enhancements" pp 349-351 Proceedings of the Second International Symposium on Equatorial Aeronomy" Ed. by F. de Mendoca, São José dos Campos, São Paulo, Brazil. November 1965.
2. V. L. Peterson, W. R. Steiger, "F-Region Nightglow Emissions of Atomic Oxygen II. Analysis of 6300A and Electron Density Data" Jour. Geophys. Res. 71 (In press for May 1966)
3. W. R. Steiger, W. E. Brown, and F. E. Roach, "Alignments of 6300A Airglow Isophotes in the Tropics" Jour. Geophys. Res. 71 (In press for June 1966)

Please do not hesitate to call on us if further information should be needed concerning the activities under this grant.

Respectfully submitted,

Walter R. Steiger

Walter R. Steiger
Principal Investigator
Hawaii Institute of Geophysics

HAWAII INSTITUTE OF GEOPHYSICS
UNIVERSITY OF HAWAII
HONOLULU, HAWAII

14 April 1966

National Aeronautics and Space
Administration
Office of Research Grants and Contracts
1520 H Street, Northwest
Washington 25, D. C.

Attention: Code BG

Subject: Semiannual Status Report on NASA
Research Grant NsG-135-61

Gentlemen:

This letter constitutes the ninth semiannual status report of the Airglow research under NASA Grant NsG-135-61. The report covers the period 1 October 1965 to 31 March 1966.

Observations:

The observing program at Haleakala has continued as set forth in previous reports. Some difficulties were encountered with interference from the signals of nearby television transmitters. The difficulty was found to be in a defective connection in the signal lead from the multiplier phototube. The strong rf fields in the vicinity of the airglow station require constant vigilance in the maintenance of the equipment.

During February and March we assisted Dr. F. E. Roach of ESSA, Boulder, in testing out a new photometer his group had designed and constructed. This photometer, which they designate as an ST photometer, makes use of narrow band (15A) interference filters with the expectation of removing the background continuum radiation from the observations by analytical methods based on the known distribution of diffuse starlight and zodiacal light. The instrument produced beautiful records, and of special interest to us is the fact that the records agreed very well with ours obtained on the birefringent scanning photometer. It is always reassuring to see two parallel instruments obtain similar results.

One of the nights on which both instruments were operating turned out to be one of those rare nights on which there has been observed 6300A enhancements together with a great deal of structure, and at the same time similar variations in both space and time in 5577A. It was one of those rare events that to my mind justifies the operation of a routine observing program. It is this sort of event that is the subject of a continuing study by myself along with Roach, Van Zandt, Peterson, and King (mentioned in previous reports)..

The detailed structure on this night as observed by the ST instrument and on our own agreed very well. The effect of a longer time constant in our instrument did show up and indicates the need for maintaining as short a time constant as possible.

Current Studies:

The ST instrument mentioned above was brought here by L. L. Smith of Dr. Roach's group. During the two-month period that the instrument was being tested, Smith and I put a concerted effort into a joint study on the comparative variations of the airglow emissions at three stations distributed in latitude from about 20° to 40°N: Haleakala, Kitt Peak, and Fritz Peak. We are ascertaining and comparing the daily, seasonal, and solar cycle variations at these stations as well as comparisons with other geophysical parameters such as magnetic and solar activity.

Good progress was made during Smith's stay and the material is being organized into a publication.

Travel:

From November 8 to 13, 1965, I visited in Boulder for the purpose of conferring with Drs. Roach, Gadsden, and Peterson and others, and also to perform the calibration of our standard light and filters.

Future Plans:

From August 14 to 26 I have been requested to participate in the Advanced Study Institute on Aurora and Airglow and present a lecture on Low Latitude Observations. This Institute is to be held at the University of Keele, England.

Beginning on September 1, 1966, for one year, I will be on sabbatical leave from the University of Hawaii. A Fulbright-Hays grant has been awarded me to carry on research in airglow at the Tokyo Astronomical Observatory, Tokyo, Japan, working there with Dr. Masaaki Huruata.

During my absence it is very important that there be someone here to supervise this program. I am presently negotiating with Dr. P. V. Kulkarni who was formerly associated with this program to return to undertake this supervision from September to December, 1966. In January Dr. Roach is coming to Hawaii for the second academic semester and will be able to provide the necessary supervision of this program during the remainder of my absence.

Also during this period the present grant expires (March 31, 1967). I am now beginning to prepare a proposal to NASA for the continuation and expansion of this program.

Staff:

No changes

Publications:

1. T. E. Van Zandt, W. R. Steiger, F. E. Roach, V. L. Peterson, and R. B. Norton, "Studies of the Tropical Airglow Enhancements" pp 349-351 Proceedings of the Second International Symposium on Equatorial Aeronomy" Ed. by F. de Mendoca, São José dos Campos, São Paulo, Brazil. November 1965.
2. V. L. Peterson, W. R. Steiger, "F-Region Nightglow Emissions of Atomic Oxygen II. Analysis of 6300A and Electron Density Data" Jour. Geophys. Res. 71 (In press for May 1966)
3. W. R. Steiger, W. E. Brown, and F. E. Roach, "Alignments of 6300A Airglow Isophotes in the Tropics" Jour. Geophys. Res. 71 (In press for June 1966)

Please do not hesitate to call on us if further information should be needed concerning the activities under this grant.

Respectfully submitted,

Walter R. Steiger

Walter R. Steiger
Principal Investigator
Hawaii Institute of Geophysics

HAWAII INSTITUTE OF GEOPHYSICS
UNIVERSITY OF HAWAII
HONOLULU, HAWAII

14 April 1966

National Aeronautics and Space
Administration
Office of Research Grants and Contracts
1520 H Street, Northwest
Washington 25, D. C.

Attention: Code BG

Subject: Semiannual Status Report on NASA
Research Grant NsG-135-61

Gentlemen:

This letter constitutes the ninth semiannual status report of the Airglow research under NASA Grant NsG-135-61. The report covers the period 1 October 1965 to 31 March 1966.

Observations:

The observing program at Haleakala has continued as set forth in previous reports. Some difficulties were encountered with interference from the signals of nearby television transmitters. The difficulty was found to be in a defective connection in the signal lead from the multiplier phototube. The strong rf fields in the vicinity of the airglow station require constant vigilance in the maintenance of the equipment.

During February and March we assisted Dr. F. E. Roach of ESSA, Boulder, in testing out a new photometer his group had designed and constructed. This photometer, which they designate as an ST photometer, makes use of narrow band (15A) interference filters with the expectation of removing the background continuum radiation from the observations by analytical methods based on the known distribution of diffuse starlight and zodiacal light. The instrument produced beautiful records, and of special interest to us is the fact that the records agreed very well with ours obtained on the birefringent scanning photometer. It is always reassuring to see two parallel instruments obtain similar results.

One of the nights on which both instruments were operating turned out to be one of those rare nights on which there has been observed 6300A enhancements together with a great deal of structure, and at the same time similar variations in both space and time in 5577A. It was one of those rare events that to my mind justifies the operation of a routine observing program. It is this sort of event that is the subject of a continuing study by myself along with Roach, Van Zandt, Peterson, and King (mentioned in previous reports)..

The detailed structure on this night as observed by the ST instrument and on our own agreed very well. The effect of a longer time constant in our instrument did show up and indicates the need for maintaining as short a time constant as possible.

Current Studies:

The ST instrument mentioned above was brought here by L. L. Smith of Dr. Roach's group. During the two-month period that the instrument was being tested, Smith and I put a concerted effort into a joint study on the comparative variations of the airglow emissions at three stations distributed in latitude from about 20° to 40°N: Haleakala, Kitt Peak, and Fritz Peak. We are ascertaining and comparing the daily, seasonal, and solar cycle variations at these stations as well as comparisons with other geophysical parameters such as magnetic and solar activity.

Good progress was made during Smith's stay and the material is being organized into a publication.

Travel:

From November 8 to 13, 1965, I visited in Boulder for the purpose of conferring with Drs. Roach, Gadsden, and Peterson and others, and also to perform the calibration of our standard light and filters.

Future Plans:

From August 14 to 26 I have been requested to participate in the Advanced Study Institute on Aurora and Airglow and present a lecture on Low Latitude Observations. This Institute is to be held at the University of Keele, England.

Beginning on September 1, 1966, for one year, I will be on sabbatical leave from the University of Hawaii. A Fulbright-Hays grant has been awarded me to carry on research in airglow at the Tokyo Astronomical Observatory, Tokyo, Japan, working there with Dr. Masaaki Huruata.

During my absence it is very important that there be someone here to supervise this program. I am presently negotiating with Dr. P. V. Kulkarni who was formerly associated with this program to return to undertake this supervision from September to December, 1966. In January Dr. Roach is coming to Hawaii for the second academic semester and will be able to provide the necessary supervision of this program during the remainder of my absence.

Also during this period the present grant expires (March 31, 1967). I am now beginning to prepare a proposal to NASA for the continuation and expansion of this program.

Staff:

No changes

Publications:

1. T. E. Van Zandt, W. R. Steiger, F. E. Roach, V. L. Peterson, and R. B. Norton, "Studies of the Tropical Airglow Enhancements" pp 349-351 Proceedings of the Second International Symposium on Equatorial Aeronomy" Ed. by F. de Mendoca, São José dos Campos, São Paulo, Brazil. November 1965.
2. V. L. Peterson, W. R. Steiger, "F-Region Nightglow Emissions of Atomic Oxygen II. Analysis of 6300A and Electron Density Data" Jour. Geophys. Res. 71 (In press for May 1966)
3. W. R. Steiger, W. E. Brown, and F. E. Roach, "Alignments of 6300A Airglow Isophotes in the Tropics" Jour. Geophys. Res. 71 (In press for June 1966)

Please do not hesitate to call on us if further information should be needed concerning the activities under this grant.

Respectfully submitted,

Walter R. Steiger

Walter R. Steiger
Principal Investigator
Hawaii Institute of Geophysics

HAWAII INSTITUTE OF GEOPHYSICS
UNIVERSITY OF HAWAII
HONOLULU, HAWAII

14 April 1966

National Aeronautics and Space
Administration
Office of Research Grants and Contracts
1520 H Street, Northwest
Washington 25, D. C.

Attention: Code BG

Subject: Semiannual Status Report on NASA
Research Grant NsG-135-61

Gentlemen:

This letter constitutes the ninth semiannual status report of the Airglow research under NASA Grant NsG-135-61. The report covers the period 1 October 1965 to 31 March 1966.

Observations:

The observing program at Haleakala has continued as set forth in previous reports. Some difficulties were encountered with interference from the signals of nearby television transmitters. The difficulty was found to be in a defective connection in the signal lead from the multiplier phototube. The strong rf fields in the vicinity of the airglow station require constant vigilance in the maintenance of the equipment.

During February and March we assisted Dr. F. E. Roach of ESSA, Boulder, in testing out a new photometer his group had designed and constructed. This photometer, which they designate as an ST photometer, makes use of narrow band (15A) interference filters with the expectation of removing the background continuum radiation from the observations by analytical methods based on the known distribution of diffuse starlight and zodiacal light. The instrument produced beautiful records, and of special interest to us is the fact that the records agreed very well with ours obtained on the birefringent scanning photometer. It is always reassuring to see two parallel instruments obtain similar results.

One of the nights on which both instruments were operating turned out to be one of those rare nights on which there has been observed 6300A enhancements together with a great deal of structure, and at the same time similar variations in both space and time in 5577A. It was one of those rare events that to my mind justifies the operation of a routine observing program. It is this sort of event that is the subject of a continuing study by myself along with Roach, Van Zandt, Peterson, and King (mentioned in previous reports)..

The detailed structure on this night as observed by the ST instrument and on our own agreed very well. The effect of a longer time constant in our instrument did show up and indicates the need for maintaining as short a time constant as possible.

Current Studies:

The ST instrument mentioned above was brought here by L. L. Smith of Dr. Roach's group. During the two-month period that the instrument was being tested, Smith and I put a concerted effort into a joint study on the comparative variations of the airglow emissions at three stations distributed in latitude from about 20° to 40°N: Haleakala, Kitt Peak, and Fritz Peak. We are ascertaining and comparing the daily, seasonal, and solar cycle variations at these stations as well as comparisons with other geophysical parameters such as magnetic and solar activity.

Good progress was made during Smith's stay and the material is being organized into a publication.

Travel:

From November 8 to 13, 1965, I visited in Boulder for the purpose of conferring with Drs. Roach, Gadsden, and Peterson and others, and also to perform the calibration of our standard light and filters.

Future Plans:

From August 14 to 26 I have been requested to participate in the Advanced Study Institute on Aurora and Airglow and present a lecture on Low Latitude Observations. This Institute is to be held at the University of Keele, England.

Beginning on September 1, 1966, for one year, I will be on sabbatical leave from the University of Hawaii. A Fulbright-Hays grant has been awarded me to carry on research in airglow at the Tokyo Astronomical Observatory, Tokyo, Japan, working there with Dr. Masaaki Huruwata.

During my absence it is very important that there be someone here to supervise this program. I am presently negotiating with Dr. P. V. Kulkarni who was formerly associated with this program to return to undertake this supervision from September to December, 1966. In January Dr. Roach is coming to Hawaii for the second academic semester and will be able to provide the necessary supervision of this program during the remainder of my absence.

Also during this period the present grant expires (March 31, 1967). I am now beginning to prepare a proposal to NASA for the continuation and expansion of this program.

Staff:

No changes

Publications:

1. T. E. Van Zandt, W. R. Steiger, F. E. Roach, V. L. Peterson, and R. B. Norton, "Studies of the Tropical Airglow Enhancements" pp 349-351 Proceedings of the Second International Symposium on Equatorial Aeronomy" Ed. by F. de Mendoca, São José dos Campos, São Paulo, Brazil. November 1965.
2. V. L. Peterson, W. R. Steiger, "F-Region Nightglow Emissions of Atomic Oxygen II. Analysis of 6300A and Electron Density Data" Jour. Geophys. Res. 71 (In press for May 1966)
3. W. R. Steiger, W. E. Brown, and F. E. Roach, "Alignments of 6300A Airglow Isophotes in the Tropics" Jour. Geophys. Res. 71 (In press for June 1966)

Please do not hesitate to call on us if further information should be needed concerning the activities under this grant.

Respectfully submitted,

Walter R. Steiger

Walter R. Steiger
Principal Investigator
Hawaii Institute of Geophysics